

12/2018

Mod: AD2N/H2-R2

Production code: AE14X2500-DM



Diamond
catering equipment

Modello - Model - Model - Gerätetyp		AD2N/H2-R2
Code Production		AE14X2500-DM
Descrizione - Description - Description - Beschreibung		1400 TN
Tipo di teglie - Trays type - Type de plateaux - Blechetyp - Tipo de fuentes		GN 2/1
Range		-2°C...+8°C
Scheda Elettronica - Electronic card		EVCO EVX214
Funzionamento - Operating Mode - Mode de fonctionnement - Betriebsmodus S = Statico - Static - Statique - Stille Kühlung - V = Ventilato - Ventilated - Ventilte - Umluftkühlung		V
Capacità lorda - Gross Capacity - Capacité brute - Bruttovolumen		I 1400
Dimensioni esterne - External Dimension - Dimensions externes - ußenabmessungen		
Lunghezza - Width - Largeur - Breite		mm 1540
Profondità / con porte aperte - Depth / with open doors Profondeur avec portes ouverte - Tiefe/mit geöffneter Tür		mm 820/1520
Altezza - Height - Hauteur - Höhe		mm 2025
Dimensioni interne - Internal Dimension - Dimensions internes - Innenabmessungen		
Lunghezza - Width - Largeur - Breite		mm 1350
Profondità - Depth - Profondeur - Tiefe		mm 670
Altezza - Height - Hauteur - Höhe		mm 1440
Porte - Doors - Portes - Türen		2, Full
Dotazione Standard - Standard Equipment - Equipement standard - Standardausstattung		Griglia plastificata - Plastic-Coated Grid Grille Plastifiée - Kunststoff-Beschichtetes Gitter 530x650 3 + 3
Luce interna - Internal light - Eclairage intérieure - Innerbeleuchtung		② ●
Serratura - Lock - Serrure - Schloss		② ●
Sbrinamento - Defrost - Dégivrage - Abtauen		
Type		Hot Gas
N° Defrost in 24 hrs.		Automatic
Evaporazione acqua sbrinamento - Evaporation of defrost water Evaporation eau de dégivrage - Tauwasser verdunstung		Automatic by Hot Gas
Compressor		embraco
Model		EMT6165U
Potenza - Power - Puissance - Leistung		HP 1/3
T° Evaporation		°C -10
Potenza frigorifera - Refrigerant Power - Puissance frigorifique - Kälteleistung		watt 520
Refrigerante - Refrigerant type - Réfrigérant type - Kältemitteltyp		GWP R290 / 3
Quantità di refrigerante - Refrigerant quantity - Quantité de réfrigérant - Kältemittelmenge		gr 90
Potenza assorbita - Total Power - Puissance - Leistung		watt 330W 2,1A / 350W 2,3A
Tensione alimentazione - Supply Voltage - Tension d'alimentation - Anschlussspannung		V 230V~ 50Hz
220V/60Hz Voltage		□
Peso Netto - Net weight - Poids net - Netto Gewicht		kg 277
Volume - Volume - Volume - Volumen		mc 2,9
Versione Predisposta - Remote version - Version sans groupe - Modelle ohne Aggregat Sbrinamento elettrico - Electrical defrosting - Dégivrage électrique - Elektrische Abtauerung		□
Efficienza Energetica - Energy Efficiency - Classe Énergie - Energieeffizienzklasse		C
Energia - Energy - Énergie - Energie		kWh / annum 1195
Volume Netto - Net Volume - Volume Net - Nettoinhalt		I 1096
Classe Climatica - Climate Class - Classe Climatique - Klima Klasse		5 40°C-40%

● = Dotazione di serie - Standard equipment - Dotation standard - Serien Ausstattung □ = Optional

