



**MOD : C5FV6-PN**

**Production code : 6020152.3132 / FU60/90 CFGE**

**CE**

**10/2023**

**EU type examination certificate**  
**EU-Baumusterprüfbescheinigung**

**CE-0085CN0299**

Product Identification No.  
 Produkt-Identnummer

<b>Field of Application</b> <i>Anwendungsbereich</i>	EU Gas Appliances Regulation (EU/2016/426) <i>EU-Gasgeräteverordnung (EU/2016/426)</i>
<b>Owner of Certificate</b> <i>Zertifikatinhaber</i>	MODULAR Professional S.r.l. Via Palù, 93, I-31020 San Vendemiano (TV)
<b>Distributor</b> <i>Vertreiber</i>	MODULAR Professional S.r.l. Via Palù, 93, I-31020 San Vendemiano (TV)
<b>Product Category</b> <i>Produktart</i>	Catering appliances: Open flame burner (2101)
<b>Product Description</b> <i>Produktbezeichnung</i>	Open flame burner, optionally on gas- or electric oven
<b>Model</b> <i>Modell</i>	Serie 600/650 FU/CL/GM/FS...
<b>Countries of Destination</b> <i>Bestimmungsländer</i>	AL, AT, BA, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MK, MT, NL, NO, PL, PT, RO, SE, SI, SK, TR, UA
<b>Test Reports</b> <i>Prüfberichte</i>	type testing: 705CL1800096 from 04.03.2019 (FGL)
<b>Test Basis</b> <i>Prüfgrundlagen</i>	EU/2016/426 A III B (09.03.2016) DIN EN 203-1 (01.07.2014) DIN EN 203-2/1 (01.04.2015) DIN EN 203-2/2 (01.09.2006)
<b>Date of Expiry / File No.</b> <i>Ablaufdatum / AZ</i>	24.04.2029 / 18-0112-GEA



70028-04-A-DE

24.04.2019 Rie A-1/2   
 Date, Issued by, Sheet, Head of Certification Body  
 Datum, Bearbeiter, Blatt, Leiter der Zertifizierungsstelle

DVGW CERT GmbH is an accredited body by DAKKS according to DIN EN ISO/IEC 17065:2013 and notified by the government of the Federal Republic of Germany for certification of gas appliances under EU Regulation

DVGW CERT GmbH ist von der DAKKS nach DIN EN ISO/IEC 17065:2013 akkreditierte und von der Deutschen Bundesregierung benannte Stelle für die Zertifizierung von Gasgeräten gemäß EU-Verordnung EU/2016/426.



DVGW CERT GmbH  
 Zertifizierungsstelle  
 Josef-Wirmer-Str. 1-3  
 53123 Bonn  
 Tel. +49 228 91 88 - 888  
 Fax +49 228 91 88 - 993  
 www.dvgw-cert.com  
 info@dvgw-cert.com



<b>Elektrical Data</b>	230 V AC, 50-60 Hz
<b>Elektrische Daten</b>	3 230 V AC, 50-60 Hz
	3N 400 V AC, 50-60 Hz

<b>Appliance Categories</b> <i>Gerätekategorien</i>	<b>Supply Pressures</b> <i>Versorgungsdrücke</i>	<b>Countries of Destination</b> <i>Bestimmungsländer</i>	<b>Remarks</b> <i>Bemerkungen</i>
I2E	20 mbar	LU, PL	
I2EK	20/25 mbar	NL	
I2H	20 mbar	NO	
I3+	28-30/37 mbar	CY, LU	
I3B/P	28-30 mbar	CY, HU, IS, MT, NL, NO	
I3B/P	37 mbar	PL	
II1a2H	8, 20 mbar	CH, IT	
II2E+3+	20/25, 28-30/37 mbar	BE, FR	
II2E3+	20, 28-30/37 mbar	LU	
II2EK3B/P	20/25, 28-30 mbar	NL	
II2ELL3B/P	20, 50 mbar	DE	
II2H3+	20, 28-30/37 mbar	CH, ES, GB, GR, IE, IT, PT, SK	
II2H3B/P	20, 28-30 mbar	CZ, DK, EE, FI, HR, LT, LV, NO, RO, SE, SI, TR	
II2H3B/P	20, 50 mbar	AT, CH	
II2HS3B/P	25, 28-30 mbar	HU	
II2HS3B/P	25, 50 mbar	HU	
III1a2H3B/P	8, 20, 28-30 mbar	DK, IT	
III1ab2H3B/P	8, 20, 28-30 mbar	SE	

<b>Installation Codes</b> <i>Installationsarten</i>	<b>Countries of Destination</b> <i>Bestimmungsländer</i>	<b>Remarks</b> <i>Bemerkungen</i>
A1	AL, AT, BA, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MK, MT, NL, NO, PL, PT, RO, SE, SI, SK, TR, UA	

<b>Type</b> <i>Typ</i>	<b>Technical Data</b> <i>Technische Daten</i>	<b>Remarks</b> <i>Bemerkungen</i>
...60-40 PCG-D	nominal heat input (Hi): 6,1; 6,2 (1a, 1b) kW	
...60-30 PCG/(P)	nominal heat input (Hi): max. 6,9; 6,2 (1a, 1b) kW	
...60-80 PCG-D	nominal heat input (Hi): 12,2; 12,4 (1a, 1b) kW	
...60-60 PCG/(P); ...60-60 CFGE/(P)	nominal heat input (Hi): max. 13,8; 12,4 (1a, 1b) kW	
...60-60 CFG	nominal heat input (Hi): max. 14,7; 14,9 (1a, 1b) kW	
...60-90 PCG/(P); ...60-90 CFGE/(P)	nominal heat input (Hi): max. 17,4; 15,7 (1a, 1b) kW	
...65/40 PC/40 P	nominal heat input (Hi): 7,5 kW	
...FPG/55	nominal heat input (Hi): 8,8 kW	
...65/40 PCG	nominal heat input (Hi): max. 10,0 kW	
...CEG/70; ...65/70 CFGE; ...65/70 PCG	nominal heat input (Hi): max. 20,0 kW	
...65/70 CFG	nominal heat input (Hi): max. 25,0 kW	
...CEG/110; ...65/110 CFGE	nominal heat input (Hi): max. 30,0 kW	
...65/110 CFG	nominal heat input (Hi): max. 35,0 kW	
...65/110 CFGG	nominal heat input (Hi): max. 37,5 kW	

<b>Type Variation</b> <i>Ausführungsvariante</i>	<b>Explanations</b> <i>Erläuterungen</i>
60-30...	appliances with 2 open flame burner
60-60...	appliances with 4 open flame burner
60-90...	appliances with 5 open flame burner
...PCG...	table appliance
...CFG...	on gas oven
...CFGE...	on electric oven
.../P; .../P 2/3	in power version

#### Hints of Utilization /Remarks

##### **Verwendungshinweise / Bemerkungen**

Additionally tested appliance categories, supply pressures and countries of destination:  
AL, BA, BG, MK, UA: II2H3B/P (20, 28-30 mbar)

In the non-EU countries the conformity approval will be accepted if the Gas Appliance Regulation EU/2016/426 is transferred into national law by this countries.