

10/2021

Mod: DFE8/6-AC


Production code: 918820

MODEL: DFE8/6-AC

Overall Dimension (Width-Depth-Height) *open	mm	575x605(1005*)x820
Packaging Dimension (WxDxH)	mm	690x670x980
Gross weight	Kg	67
Net weight	Kg	61
Volume	mc	0,45



Interface

	Rack size	mm	500x500
	Max door /hood opening	mm	365
□	Max glasses/plate Height	mm	325/365
	General construction		single skin
	Door/hood Construction		double skin
	Tank construction		welded
↘	Tank volume	liter	20
	Tank heating element	W	2.100
	Tank surface strainers		Yes - composite
	Wash pump type		double flow
☑	Wash pump power	W	500
	Wash temperature	°C	60
	Boiler type		without pressure
↘	Boiler volume	liter	6
	Back-flow system		break tank
	Boiler heating element	W	4.900
	Rinse booster pump		YES
☑	Rinse booster pump power	W	200
	Rinse temperature	°C	85
	Rinse water consumption	Liter /rack	2,4
	Optimal external water pressure	bar	1-4
☑	Drain system		deep drain
	Drain pump		standard built in
▶	Rinse aid dispenser		YES
	Detergent dispenser		YES
☑	Wash cycle	sec	120 - 180 - continuous
	Sanitisation washing cycle 		YES
	Electric Power	W	5.400
⚡	Electric Connection	V - ph - Hz	400V 3N 50Hz
	Fuse	A	16
	Water softner		YES
	Plates racks		YES
	Flat Rack		YES
▶	Cutterly Rack		YES
	Electric cable		YES
	Drain hose		YES
	Fill hose		YES

