


10/2021

Mod: DXE8/6

Production code: IT3813BEDD


MODEL: DXE8/6

Overall Dimension (Width-Depth-Height) *open	mm	724x818x1529(2010*)
Packaging Dimension (WxDxH)	mm	760x840x1520
Gross weight	Kg	95
Net weight	Kg	85
Volume	mc	0,98



Interface



	Rack size	mm	500x500
	Max door /hood opening	mm	450
□	Max glasses/plate Height	mm	440/450
	General construction		single skin
	Door/hood Construction		single skin
	Tank construction		deep drawn
↘	Tank volume	liter	15
	Tank heating element	W	2.100
	Tank surface strainers		yes-composite
☑	Wash pump type		double flow
	Wash pump power	W	500
	Wash temperature	°C	55
↘	Boiler type		without pressure
	Boiler volume	liter	6
	Back-flow system		break tank
	Boiler heating element	W	6.000
⊕	Rinse booster pump		YES
	Rinse booster pump power	W	200
	Rinse temperature	°C	80
	Rinse water consumption	Liter /rack	2,6
	Optimal external water pressure	bar	1-4
🚰	Drain system		deep drain
	Drain pump		standard built in
▶	Rinse aid dispenser		YES
	Detergent dispenser		YES
👤/👤	Wash cycle	sec	120 - 180 - continuous
	Sanitation washing cycle YES 		YES
⚡	Electric Power	W	6.500
	Electric Connection	V - ph - Hz	400V 3N 50Hz
	Fuse	A	16
	Water softner		NO
	Plates racks		YES
	Flat Rack		YES
▶	Cutterly Rack		YES
	Electric cable		YES
	Drain hose		YES
	Fill hose		YES

A		∅ 35 mm M	A		A EXIT	B		∅ 35 mm M
B		G 3/4" M	B		B EXIT	C		G 3/4" F
C		Power supply						

SEZ. A-A

*** LUCE UTILE PER CESTELLO
USEFUL SPACE FOR BASKET
LUMIERE UTILE POUR PANIER
NUTZBARE OFFNUNG FÜR KORBE
ABERTURA UTIL PARA CESTO**

Installation layout

Designed by: M.PUCCI

Date: 13/07/2014

Designation: **Hood type**

Code: NH50

Rev.: 00