

05/2018

# **Mod: E9/4PQF8**

**Production code: BBE4F98Q**



Product Service

# Attestation of Conformity

No. N8A 15 07 69328 004

**Holder of Certificate: EUROTEC S.R.L. DIVISIONE MBM**Viale Europa 24  
37045 San Pietro di Legnago (VR)  
ITALY**Product: Other electric cooking appliances  
(Horizontal cooking)**

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for testing and certification. See also notes overleaf.

Test report no.: SIC14120.01



Date, 2015-07-16

  
( Andrea China )

**CE** After preparation of the necessary technical documentation as well as the EU conformity declaration the required CE marking can be affixed on the product. That declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.

Page 1 of 6



Product Service

**Attestation of Conformity**  
**No. N8A 15 07 69328 004****Model(s):**

E6FM8, ETF77, E2A77, E4A77, E2A77Q, E4A77Q,  
E2AP77, E4AP77, E2P77, E4FVP77, E4P77, E4FV77,  
E4F77, E4F77Q, E6FA77, E6A77, E6FA77Q, E6A77Q,  
E4FP77, E277, E477, E677, E277Q, E477Q, E677Q,  
EF077, EVC4F77, EVC477, EVC277, E2A77, E2A11Q,  
E4A11Q, E4F11Q, E29AQ, E49AQ, E69AQ, E4F9Q,  
E6FA9Q, E29Q, E49Q, E69Q, E298AQ, E498AQ,  
E698AQ, E4F98Q, E6FA98Q, E298Q, E498Q, E698Q,  
E298AP, E498AP, E4F98P, E2A8, E4A8, E6A8, E4F8,  
E6FA8, E2AP8, E4AP8, E4FP8, E2A, E4A, E6A, E4F,  
E6FA, E6FM, E4F6, E26, E46, EVC26, EVC46, ETA77,  
ET77, ETA911, ETF911, ETA99, ET99, ETA998, ET998,  
ETF998, ETA908, ETF908, ET6

Note: letter "F" in models name represents model with oven

**Brand:****MBM****Parameters:**

Rated input voltage:	400 VAC 3N~
Rated input power:	See Attachment
Rated frequency:	50/60 Hz
Protection class:	I
Degree of protection against liquids:	IPX4

**Tested  
according to:**

EN 60335-1:2012/A11:2014  
EN 60335-2-36:2002/A11:2012  
EN 62233:2008



Product Service



Product Service

**Attachment to  
Attestation of Conformity  
No. N8A 15 07 69328 004**

Model Derived	Dimension (mm)	Rated Power (kW)	Main Model	Dimension (mm)	Rated Power (kW)
E2A77	400x730xh850	4,1	E6FM8	1200x900xh850	30
E4A77	700x730xh850	8,2			
E2A77Q	400x730xh850	5,2			
E4A77Q	700x730xh850	10,4			
E2AP77	400x730xh850	5			
E4AP77	700x730xh850	10			
E2P77	400x730xh250	5			
E4FVP77	700x730xh850	12,6			
E4P77	700x730xh250	10			
E4FV77	700x730xh850	10,8			
E4F77	700x730xh850	13,5			
E4F77Q	700x730xh850	15,7			
E6FA77	1100x730xh850	17,6			
E6A77	1100x730xh850	12,3			
E6FA77Q	1100x730xh850	20,9			
E6A77Q	1100x730xh850	15,6			
E4FP77	700x730xh850	15,3			
E277	400x730xh250	4,1			
E477	700x730xh250	8,2			
E677	1100x730xh250	12,3			

Note: letter "F" in models name represents model with oven

Date, 2015-07-16

Page 3 of 6

*AC*



Product Service



Product Service

**Attachment to  
Attestation of Conformity  
No. N8A 15 07 69328 004**

Model Derived	Dimension (mm)	Rated Power (kW)	Main Model	Dimension (mm)	Rated Power (kW)
E277Q	400x730xh250	5,2	E6FM8	1200x900xh850	30
E477Q	700x730xh250	10,4			
E677Q	1100x730xh250	15,6			
EF077	800x730xh600	5,3			
EVC4F77	700x730xh850	13,9			
EVC477	700x730xh250	8,6			
EVC277	400x730xh250	4,2			
E2A77	400x730xh850	4,1			
E2A11Q	450x1100xh850	6			
E4A11Q	900x1100xh850	13			
E4F11Q	900x1100xh850	23			
E29AQ	450x900xh850	6			
E49AQ	900x900xh850	13			
E69AQ	1350x900xh850	20			
E4F9Q	900x900xh850	19			
E6FA9Q	1350x900xh850	26			
E29Q	450x900xh250	6			
E49Q	900x900xh250	13			
E69Q	1350x900xh250	20			
E298AQ	400x900xh850	6			

Note: letter "F" in models name represents model with oven

Date, 2015-07-16

*AE.*



Product Service

Page 4 of 6



Product Service

**Attachment to**  
**Attestation of Conformity**  
**No. N8A 15 07 69328 004**

Model Derived	Dimension (mm)	Rated Power (kW)	Main Model	Dimension (mm)	Rated Power (kW)
E498AQ	800x900xh850	13	E6FM8	1200x900xh850	30
E698AQ	1200x900xh850	20			
E4F98Q	800x900xh850	19			
E6FA98Q	1200x900xh850	26			
E298Q	400x900xh250	6			
E498Q	800x900xh250	13			
E698Q	1200x900xh250	20			
E298AP	400x900xh850	5			
E498AP	800x900xh850	10			
E4F98P	800x900xh850	16			
E2A8	400x900xh850	6			
E4A8	800x900xh850	13			
E6A8	1200x900xh850	20			
E4F8	800x900xh850	19			
E6FA8	1200x900xh850	26			
E2AP8	400x900xh850	5			
E4AP8	800x900xh850	10			
E4FP8	800x900xh850	16			
E2A	450x900xh850	6			
E4A	900x900xh850	13			

Note: letter "F" in models name represents model with oven

Date, 2015-07-16

AC



Product Service

Page 5 of 6



Product Service

Attachment to

Attestation of Conformity

No. N8A 15 07 69328 004

Model Derived	Dimension (mm)	Rated Power (kW)	Main Model	Dimension (mm)	Rated Power (kW)
E6A	1350x900xh850	20	E6FM8	1200x900xh850	30
E4F	900x900xh850	19			
E6FA	1350x900xh850	26			
E6FM	1350x900xh850	30			
E4F6	600x600xh850	10,7			
E26	400x600xh270	3,1			
E46	600x600xh270	9,2			
EVC26	400x600xh270	4,2			
EVC46	600x600xh270	7,8			
ETA77	700x730xh850	9			
ET77	700x730xh250	9			
ETA911	900x1100xh850	14			
ETF911	900x1100xh850	24			
ETA99	900x900xh850	14			
ET99	900x900xh250	14			
ETA998	800x900xh850	14			
ET998	800x900xh250	14			
ETF998	800x900xh850	20			
ETA908	800x900xh850	14			
ETF908	800x900xh850	20			
ET6	600x600xh270	8			

Note: letter "F" in models name represents model with oven

Date, 2015-07-16

AC

Page 6 of 6



Product Service



Product Service

# Attestation of Conformity

No. E8A 15 09 69328 013

**Holder of Certificate:** EUROTEC S.R.L. DIVISIONE MBMViale Europa 24  
37045 San Pietro di Legnago (VR)  
ITALY**Name of Object:** Other electric cooking appliances  
(Horizontal cooking)

This Attestation of Conformity is issued on a voluntary basis according to the Directive 2014/30/EU relating to electromagnetic compatibility. It confirms that the listed apparatus complies with all essential requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for testing and certification. See also notes overleaf.

**Test report no.:** EMC14122.01**Date,** 2015-09-15  
( Giuseppe Mecchia )

**CE** After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. That declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.

Page 1 of 6





Product Service

**Attestation of Conformity**  
**No. E8A 15 09 69328 013**

**Model(s):**

E6FM8, ETF77, E2A77, E4A77, E2A77Q, E4A77Q,  
E2AP77, E4AP77, E2P77, E4FVP77, E4P77, E4FV77,  
E4F77, E4F77Q, E6FA77, E6A77, E6FA77Q, E6A77Q,  
E4FP77, E277, E477, E677, E277Q, E477Q, E677Q,  
EF077, EVC4F77, EVC477, EVC277, E2A77, E2A11Q,  
E4A11Q, E4F11Q, E29AQ, E49AQ, E69AQ, E4F9Q,  
E6FA9Q, E29Q, E49Q, E69Q, E298AQ, E498AQ,  
E698AQ, E4F98Q, E6FA98Q, E298Q, E498Q, E698Q,  
E298AP, E498AP, E4F98P, E2A8, E4A8, E6A8, E4F8,  
E6FA8, E2AP8, E4AP8, E4FP8, E2A, E4A, E6A, E4F,  
E6FA, E6FM, E4F6, E26, E46, EVC26, EVC46, ETA77,  
ET77, ETA911, ETF911, ETA99, ET99, ETA998, ET998,  
ETF998, ETA908, ETF908, ET6

Note: letter "F" in models name represents model with oven

**Trade name:**

**MBM**

**Description of  
Object:**

Rated input voltage:	400 VAC 3N~
Rated input power:	See Attachment
Rated frequency:	50/60 Hz
Protection class:	I
Degree of protection against liquids:	IPX4

**Tested  
according to:**

EN 55014-1:2006/A2:2011  
EN 55014-2:1997/A2:2008  
EN 61000-3-2:2006/A2:2009  
EN 61000-3-3:2013



Product Service



Product Service

Attachment to

Attestation of Conformity

No. E8A 15 09 69328 013

Model Derived	Dimension (mm)	Rated Power (kW)	Main Model	Dimension (mm)	Rated Power (kW)
E2A77	400x730xh850	4,1	E6FM8	1200x900xh850	30
E4A77	700x730xh850	8,2			
E2A77Q	400x730xh850	5,2			
E4A77Q	700x730xh850	10,4			
E2AP77	400x730xh850	5			
E4AP77	700x730xh850	10			
E2P77	400x730xh250	5			
E4FVP77	700x730xh850	12,6			
E4P77	700x730xh250	10			
E4FV77	700x730xh850	10,8			
E4F77	700x730xh850	13,5			
E4F77Q	700x730xh850	15,7			
E6FA77	1100x730xh850	17,6			
E6A77	1100x730xh850	12,3			
E6FA77Q	1100x730xh850	20,9			
E6A77Q	1100x730xh850	15,6			
E4FP77	700x730xh850	15,3			
E277	400x730xh250	4,1			
E477	700x730xh250	8,2			
E677	1100x730xh250	12,3			

Note: letter "F" in models name represents model with oven

Date, 2015-09-15

Page 3 of 6



Product Service



Product Service

Attachment to

Attestation of Conformity

No. E8A 15 09 69328 013

Model Derived	Dimension (mm)	Rated Power (kW)	Main Model	Dimension (mm)	Rated Power (kW)
E277Q	400x730xh250	5,2	E6FM8	1200x900xh850	30
E477Q	700x730xh250	10,4			
E677Q	1100x730xh250	15,6			
EF077	800x730xh600	5,3			
EVC4F77	700x730xh850	13,9			
EVC477	700x730xh250	8,6			
EVC277	400x730xh250	4,2			
E2A77	400x730xh850	4,1			
E2A11Q	450x1100xh850	6			
E4A11Q	900x1100xh850	13			
E4F11Q	900x1100xh850	23			
E29AQ	450x900xh850	6			
E49AQ	900x900xh850	13			
E69AQ	1350x900xh850	20			
E4F9Q	900x900xh850	19			
E6FA9Q	1350x900xh850	26			
E29Q	450x900xh250	6			
E49Q	900x900xh250	13			
E69Q	1350x900xh250	20			
E298AQ	400x900xh850	6			

Note: letter "F" in models name represents model with oven

Date, 2015-09-15



Product Service

Page 4 of 6



Product Service

Attachment to

Attestation of Conformity

No. E8A 15 09 69328 013

Model Derived	Dimension (mm)	Rated Power (kW)	Main Model	Dimension (mm)	Rated Power (kW)
E498AQ	800x900xh850	13	E6FM8	1200x900xh850	30
E698AQ	1200x900xh850	20			
E4F98Q	800x900xh850	19			
E6FA98Q	1200x900xh850	26			
E298Q	400x900xh250	6			
E498Q	800x900xh250	13			
E698Q	1200x900xh250	20			
E298AP	400x900xh850	5			
E498AP	800x900xh850	10			
E4F98P	800x900xh850	16			
E2A8	400x900xh850	6			
E4A8	800x900xh850	13			
E6A8	1200x900xh850	20			
E4F8	800x900xh850	19			
E6FA8	1200x900xh850	26			
E2AP8	400x900xh850	5			
E4AP8	800x900xh850	10			
E4FP8	800x900xh850	16			
E2A	450x900xh850	6			
E4A	900x900xh850	13			

Note: letter "F" in models name represents model with oven

Date, 2015-09-15



Product Service

Page 5 of 6



Product Service

Attachment to

Attestation of Conformity

No. E8A 15 09 69328 013

Model Derived	Dimension (mm)	Rated Power (kW)	Main Model	Dimension (mm)	Rated Power (kW)
E6A	1350x900xh850	20	E6FM8	1200x900xh850	30
E4F	900x900xh850	19			
E6FA	1350x900xh850	26			
E6FM	1350x900xh850	30			
E4F6	600x600xh850	10,7			
E26	400x600xh270	3,1			
E46	600x600xh270	9,2			
EVC26	400x600xh270	4,2			
EVC46	600x600xh270	7,8			
ETA77	700x730xh850	9			
ET77	700x730xh250	9			
ETA911	900x1100xh850	14			
ETF911	900x1100xh850	24			
ETA99	900x900xh850	14			
ET99	900x900xh250	14			
ETA998	800x900xh850	14			
ET998	800x900xh250	14			
ETF998	800x900xh850	20			
ETA908	800x900xh850	14			
ETF908	800x900xh850	20			
ET6	600x600xh270	8			

Note: letter "F" in models name represents model with oven

Date, 2015-09-15

Page 6 of 6



Product Service