

04/2023

# **Mod: WGX2-8/T**

**Production code: NGWT7-55**

C € 0085

## EU type examination certificate

### EU-Baumusterprüfbescheinigung

**CE-0085CT0252**

Product Identification No.  
Produkt-Identnummer

<b>Field of Application</b> <i>Anwendungsbereich</i>	EU Gas Appliances Regulation (EU/2016/426) <i>EU-Gasgeräteverordnung (EU/2016/426)</i>
<b>Owner of Certificate</b> <i>Zertifikatinhaber</i>	PT. NAYATI INDONESIA Jl. Raya Terboyo No. 19, ID-50112 Semarang, Central Java
<b>Distributor</b> <i>Vertreiber</i>	PT. NAYATI INDONESIA Jl. Raya Terboyo No. 19, ID-50112 Semarang, Central Java
<b>Product Category</b> <i>Produktart</i>	Catering appliances: Open flame burner (2101)
<b>Product Description</b> <i>Produktbezeichnung</i>	WOK burner
<b>Model</b> <i>Modell</i>	NG ...
<b>Countries of Destination</b> <i>Bestimmungsländer</i>	AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IT, LT, LU, LV, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, TR
<b>Test Reports</b> <i>Prüfberichte</i>	supplement test: 705TR2000003 from 04.03.2020 (FGL) supplement test: 705CL20000013 from 04.03.2020 (FGL)
<b>Test Basis</b> <i>Prüfgrundlagen</i>	EU/2016/426 A III B (09.03.2016) DIN EN 203-1 (01.07.2014) DIN EN 203-2/1 (01.04.2015)

**Date of Expiry / File No.** 16.07.2028 / 19-0635-GER  
*Ablaufdatum / AZ*

11.05.2020 Rie A-1/2

Date, Issued by, Sheet, Head of Certification Body  
*Datum, Bearbeiter, Blatt, Leiter der Zertifizierungsstelle*

DVGW CERT GmbH is an accredited body by DAkkS according to DIN EN ISO/IEC 17065:2013 and notified by the government of the Federal Republic of Germany for certification of gas appliances under EU Regulation

DVGW CERT GmbH ist von der DAkkS nach DIN EN ISO/IEC 17065:2013 akkreditierte und von der Deutschen Bundesregierung benannte Stelle für die Zertifizierung von Gasgeräten gemäß EU-Verordnung EU/2016/426.



Deutsche  
Akkreditierungsstelle  
D-ZE-16028-01-01

**Elektrical Data** 230 V AC, 50 Hz  
**Elektrische Daten**

<b>Appliance Categories</b> <i>Gerätekategorien</i>	<b>Supply Pressures</b> <i>Versorgungsdrücke</i>	<b>Countries of Destination</b> <i>Bestimmungsländer</i>	<b>Remarks</b> <i>Bemerkungen</i>
I2E	20 mbar	LU, PL	
I3B/P	28-30 mbar	HU, MT	
I3B/P	50 mbar	HU	
II2E+3+	20/25, 28-30/37 mbar	BE, FR	
II2E3B/P	20, 30 mbar	RO	
II2E3B/P	20, 37 mbar	PL	
II2EK3B/P	20/25, 28-30 mbar	NL	
II2ELL3B/P	20, 50 mbar	DE	
II2H3+	20, 28-30/37 mbar	CH, CY, CZ, ES, GB, GR, IE, IT, LT, PT, SI, SK, TR	
II2H3B/P	20, 28-30 mbar	CY, DK, EE, FI, GR, HR, LT, LV, NO, RO, SE, SI, SK, TR	
II2H3B/P	20, 30 mbar	RO	
II2H3B/P	20, 50 mbar	AT, CH, SK	
III1ab2H3B/P	8, 20, 28-30 mbar	SE	only for serie NGK...

<b>Type</b> <i>Typ</i>	<b>Technical Data</b> <i>Technische Daten</i>	<b>Remarks</b> <i>Bemerkungen</i>
NGETL 5-50; NGER 4-60; NGER 7-70; NGWT 3-55 SN; NGWT 3-55 AM	nominal heat input (Hi): 13,0 kW heat input - LPG (Hi): 11,5 kW	1 burner
NGWR 7-90 NGER 9-60; NGER 13-70; NGWT 7-55 SN	nominal heat input (Hi): 18,0 kW nominal heat input (Hi): 26,0 kW heat input - LPG (Hi): 23,0 kW	1 WOK burner 2 burners
NGWR 9-90 NGK S 40-75 W1; NGK 40/S	nominal heat input (Hi): 31,0 kW nominal heat input (Hi): 33,0 kW	1 WOK burner, 1 soup burner 1 WOK burner
NGER 15-60; NGER 20-70	nominal heat input (Hi): 39,0 kW heat input - LPG (Hi): 34,5 kW	3 burners
NGKB 11-90 W1N1CLN; NGKB 12-125 W1N1CLN NGK S 40-90 W1S1	nominal heat input (Hi): 40,0 kW nominal heat input (Hi): 46,0 kW heat input - LPG (Hi): 44,5 kW	1 WOK burner, 1 Neutral 1 WOK burner, 1 soup burner
NGWR 16-90 NGER 20-60	nominal heat input (Hi): 49,0 kW nominal heat input (Hi): 52,0 kW heat input - LPG (Hi): 46,0 kW	2 WOK burners, 1 soup burner 4 burners
NGWR 18-90 NGK S 80-75 W2	nominal heat input (Hi): 62,0 kW nominal heat input (Hi): 66,0 kW	2 WOK burners, 2 soup burners 2 burners
NGKB 22-90 W2N2 CLN; NGKB 22-125 W2N2 CLN	nominal heat input (Hi): 80,0 kW	2 WOK burners, 2 Neutral

### Hints of Utilization /Remarks

#### *Verwendungshinweise / Bemerkungen*

Installation type: A1

Installation type: A3 for type NGKB...

Additional proved countries of destination, appliance categories and supply pressures:

AL, BG, MK, RS: II2H3B/P (20, 28-30 mbar)

AL, MK: II2H3+ (20, 28-30/37 mbar)

RO: II2L3B/P (25, 30 mbar)

In the NON-EU countries the CE-marking will be accepted as conformity approval if the Gas Appliance Regulation EU/2016/426 is transferred into national law by this countries.