

05/2018

Mod: TAVT/4G-R2

Production code: FGB 451/267 PV



Diamond
catering equipment

Frigobares Com Grupo | 4 Portas Vidro

Skinplate | Inox



+1°C
+8°C
Temperatura
Funcionamento
Temperature Range

Características Técnicas

FGB PV | FGB APV



- Dimensões Interiores
FGB 440/229 | W1960 x D460 x H737mm
FGB 451/267 | W2340 x D460 x H737mm
- Interior Chapa Plástica (Sk Branco) | Inox AISI 304
- Exterior Chapa Plástica (Sk Preto) | Inox AISI 430
- Isolamento Poliuretano Base Água
- Frio Ventilado
- Iluminação LED
- Termostato Digital
- Descongelamento Automática
- 2 Prateleiras Amovíveis Aço Plástico por Porta
- Capacidade para 3 Garrafas 33cl em Altura
- Pé Regulável
- Zona do Motor Extraível, para fácil Manutenção ou Serviço Técnico

Technical Features


FGB PV | FGB APV

- Internal Dimension
FGB 440/229 | W1960 x D460 x H737mm
FGB 451/267 | W2340 x D460 x H737mm
- Inside Surface (White Skinplate) | Inox AISI 304
- Outside Surface (Black Skinplate) | Inox AISI 430
- Polyurethane Water Base Insulation
- Ventilated Cold
- LED Lighting
- Digital Thermostat
- Automatic Defrost
- 2 Removable Shelves in Plated Steel for Door
- Capacity for 3 Bottles 33cl in High
- Adjustable Feet
- Extractable Motor Area for Easy Maintenance or Technical Service

Modelo Model	Largura Width	Profundidade Depth	Altura Height	Volume Volume	Peso Weight	Potência Power	Consumo Consumption	Portas Doors	Gás Gas
FGB 440/229 PV	2295mm	565mm	890/905mm	664 521	136 173	410W	2074 kwh/ano kwh/year	4 PV	R 290
FGB 451/267 PV	2675mm	565mm	890/905mm	793 622	166 209	430W	2171 kwh/ano kwh/year	4 PV	R 290
FGB 440/229 APV	2295mm	565mm	890/905mm	664 521	136 173	410W	2074 kwh/ano kwh/year	4 PV	R 290
FGB 451/267 APV	2675mm	565mm	890/905mm	793 622	166 209	430W	2171 kwh/ano kwh/year	4 PV	R 290



Capacidade Carga (unid) Load capacity (unit)	TIR	20"	40"
	46	12	30



Capacidade Carga (unid) Load capacity (unit)	TIR	20"	40"
	40	12	24

Frigobares Com Grupo | 4 Portas Vidro Skinplate | Inox

Capacidade Garrafas (33cl)
Bottles Capacity (33cl)
Capacidade Latas (33cl)
Cans Capacity (33cl)



	FGB 440	FGB 451
Bottles Capacity (33cl)	504 - 616	567 - 704
Cans Capacity (33cl)	864 - 1056	1056 - 1152

+1°C
+8°C
Temperatura
Funcionamento
Temperature Range



FGB 440/229 PV
FGB 451/267 PV



FGB 440/229 APV
FGB 451/267 APV



Modelo Model	Classe Climática Climate Class	Classe Energética Energy Class
FGB 440/229 PV	4	N.A.
FGB 451/267 PV	4	N.A.
FGB 440/229 APV	4	N.A.
FGB 451/267 APV	4	N.A.