

05/2018

# **Mod: TAVX/3-R2**

**Production code: FGB 351/206 APO**



**Diamond**  
catering equipment

# Frigobares Com Grupo | 3 Portas Opacas Skinplate | Inox



**+1°C**  
**+8°C**  
Temperatura  
Funcionamento  
Temperature Range

## Características Técnicas

### FGB PO | FGB APO




- Dimensões Interiores  
FGB 340/177 | W1440 x D460 x H737mm  
FGB 351/206 | W1730 x D460 x H737mm
- Interior Chapa Plástica (Sk Branco) | Inox AISI 304
- Exterior Chapa Plástica (Sk Preto) | Inox AISI 430
- Isolamento Poliuretano Base Água
- Frio Ventilado
- Iluminação LED
- Termostato Digital
- Descongelamento Automático
- 2 Prateleiras Amovíveis Aço Plástico por Porta
- Capacidade para 3 Garrafas 33cl em Altura
- Pé Regulável
- Zona do Motor Extraível, para fácil Manutenção ou Serviço Técnico

## Technical Features

### FGB PO | FGB APO

- Internal Dimension  
FGB 340/177 | W920 x D460 x H737mm  
FGB 351/206 | W1120 x D460 x H737mm
- Inside Surface (White Skinplate) | Inox AISI 304
- Outside Surface (Black Skinplate) | Inox AISI 430
- Polyurethane Water Base Insulation
- Ventilated Cold
- LED Lighting
- Digital Thermostat
- Automatic Defrost
- 2 Removable Shelves in Plasted Steel for Door
- Capacity for 3 Bottles 33cl in High
- Adjustable Feet
- Extractable Motor Area for Easy Maintenance or Technical Service

Modelo Model	Largura Width	Profundidade Depth	Altura Height	Volume Volume	Peso Weight	Potência Power	Consumo Consumption	Portas Doors	Gas Gas
FGB 340/177 PO	1775mm	565mm	890/905mm	488   390	100   128	370W	1820 kwh/ano kwh/year	3   PO	R 290
FGB 351/206 PO	2065mm	565mm	890/905mm	586   466	112   146	390W	1922 kwh/ano kwh/year	3   PO	R 290
FGB 340/177 APO	1775mm	565mm	890/905mm	488   390	100   128	370W	1820 kwh/ano kwh/year	3   PO	R 290
FGB 351/206 APO	2065mm	565mm	890/905mm	586   466	112   146	390W	1922 kwh/ano kwh/year	3   PO	R 290



Capacidade Carga (unid) Load capacity (unit)	TIR	20"	40"
	60	20	40

Capacidade Carga (unid) Load capacity (unit)	TIR	20"	40"
	46	20	40

# Frigobares Com Grupo | 3 Portas Opacas

## Skinplate | Inox

Capacidade Garrafas (33cl)  
Bottles Capacity (33cl)  
Capacidade Latas (33cl)  
Cans Capacity (33cl)



	FGB 340	FGB 351
Bottles Capacity (33cl)	360 - 440	414 - 506
Cans Capacity (33cl)	630 - 744	759 - 840

+1°C  
+8°C  
Temperatura  
Funcionamento  
Temperature Range



FGB 340/177 PO  
FGB 351/206 PO



FGB 340/177 APO  
FGB 351/206 APO



Modelo Model	Classe Climática Climate Class	Classe Energética Energy Class
FGB 340/177 PO	4	D
FGB 351/206 PO	4	D
FGB 340/177 APO	4	D
FGB 351/206 APO	4	D