

09/2021

# **Mod: TG2B/H-R2**

**Production code: TEMG2V2540-DM**

<b>Modello</b> - Model Model - Gerätetyp		<b>TG2B/HA-R2</b>	
		<b>TG2B/H-R2</b>	
<b>Descrizione</b> - Description - Description - Beschreibung		<b>2 Doors</b>	
<b>Tipo di teglie</b> - Trays type - Type de plateaux - Blechetyp - Tipo de fuentes		GN 1/1	
<b>Range</b>		-20°C...-10°C	
<b>Scheda Elettronica</b> - Electronic card		EVCO EVX214	
<b>Funzionamento</b> - Operating Mode - Mode de fonctionnemen - Betriebsmodus S = Statico-Static-Statique-Stille Kühlung V = Ventilato-Ventilated-Ventile-Umluftkühlung		V	
<b>Capacità lorda</b> - Gross Capacity - Capacité brute - Bruttovolumen	l	226	
<b>Dimensioni esterne</b> - External Dimension - Dimensions externes - ußenabmessungen	Lunghezza - Width -Largeur - Breite	mm 1355	
	Profondità / con porte aperte - Depth / with open doors Profondeur avec portes ouverte - Tiefe/mit geöffneter Tü	mm 700/1090	
	Altezza - Height - Hauteur - Höhe	mm 850	
<b>Dimensioni interne</b> - Internal Dimension - Dimensions internes - Innenabmessungen	Lunghezza - Width -Largeur - Breite	mm 791	
	Profondità - Depth - Profondeur - Tiefe	mm 530	
	Altezza - Height - Hauteur - Höhe	mm 540	
<b>Porte</b> - Doors - Portes - Türen		2	
<b>Dotazione Standard</b> - Standard Equipment - Equipement standard - Standardausstattung		Griglia plastificata - Plastic-Coated Grid Grille Plastifée - Kunststoff-Beschichtetes Gitter GN 1/1 2	
<b>Serratura</b> - Lock - Serrure - Schloss		<input type="checkbox"/>	
<b>Fondo inox</b> - Stainless Steel bottom - Fond inox - Edelstahlgrundboden		<input type="checkbox"/>	
<b>Sbrinamento</b> - Defrost - Dégivrages - Abtauen	Type	Gas caldo - Hot gas - Gaz chaude - Heissem Gas	
	N° Defrost in 24 hrs.	4	
	Evaporazione acqua sbrinamento - Evaporation of defrost water Evaporation eau de dégivrage - Tauwasserverdunstung		Gas caldo - Hot gas - Gaz chaude - Heissem Gas
<b>Compressor</b>	Model	NEU6217U	
	Potenza - Power - Puissance - Leistung	Hp 3/4	
	Potenza frigorifera - Refrigerant Power - Puissance frigorifique - Kälteleistung	watt 520	
<b>Refrigerante</b> - Refrigerant type - Réfrigérant type - Kältemitteltyp	Type	R290	
<b>Quantità di refrigerante</b> - Refrigerant quantity - Quantité de réfrigérant - Kältemittelmenge	gr	120	
<b>Potenza assorbita</b> - Total Power - Puissance - Leistung	watt	500W -2,5A (700W - 3,5A)	
<b>Tensione alimentazione</b> - Supply Voltage - Tension d'alimentation - Anschlussspannung	V	230V~ 50Hz	
<b>Peso Netto</b> - Net weight - Poids net - Netto Gewicht	kg	153	
	<b>Volume</b> - Volume - Volume - Volumen	mc	1,07
<b>Efficienza Energetica</b> - Energy Efficiency - Classe Énergie - Energieeffizienzklasse		D	
<b>Energia</b> - Energy - Énergie - Energie	kWh / annum	2485	
<b>Volume Netto</b> - Net Volume - Volume Net - Nettoinhalt	l	204	
<b>Classe Climatica</b> - Climate Class - Classe Climatique - Klima Classe		5 +40°C 40%	

● = Dotazione di serie - Standard equipment - Dotation standard - Serien Ausstattung    □ =Optional



