





















09/2021

Mod: TG3N/HA-R2

Production code: TEMG3V2520-DM

 Modello - Model Model - Gerätetyp		TG3N/HA-R2
		TG3N/H-R2
		
 Descrizione - Description - Description - Beschreibung		3 Doors
Tipo di teglie - Trays type - Type de plateaux - Blechetyp - Tipo de fuentes		GN 1/1
 Range		-2°C...+8°C
 Scheda Elettronica - Electronic card		EVCO EVX214
 Funzionamento - Operating Mode - Mode de fonctionnemen - Betriebsmodus S = Statico-Static-Statique-Stille Kühlung V = Ventilato-Ventilated-Ventile-Umluftkühlung		V
 Capacità lorda - Gross Capacity - Capacité brute - Bruttovolumen		355
 Dimensioni esterne - External Dimension - Dimensions externes - ußenabmessungen		
Lunghezza - Width -Largeur - Breite		1805
Profondità / con porte aperte - Depth / with open doors Profondeur avec portes ouverte - Tiefe/mit geöffneter Tür		700/1090
Altezza - Height - Hauteur - Höhe		850
 Dimensioni interne - Internal Dimension - Dimensions internes - Innenabmessungen		
Lunghezza - Width -Largeur - Breite		1239
Profondità - Depth - Profondeur - Tiefe		530
Altezza - Height - Hauteur - Höhe		540
 Porte - Doors - Portes - Türen		3
Dotazione Standard - Standard Equipment - Equipement standard - Standardausstattung		GN 1/1 Griglia plastificata - Plastic-Coated Grid Grille Plastifiée - Kunststoff-Beschichtetes Gitter
 Serratura - Lock - Serrure - Schloss		3
Fondo inox - Stainless Steel bottom - Fond inox - Edelstahlgrundboden		<input type="checkbox"/>
 Sbrinamento - Defrost - Dégivrages - Abtauen		
Type		Gas caldo - Hot gas - Gaz chaude - Heissem Gas
N° Defrost in 24 hrs.		3
Evaporazione acqua sbrinamento - Evaporation of defrost water Evaporation eau de dégivrage - Tauwasserverdunstung		Gas caldo - Hot gas - Gaz chaude - Heissem Gas
 Compressor		
Model		EMC3119U
Potenza - Power - Puissance - Leistung		1/4
Potenza frigorifera - Refrigerant Power - Puissance frigorifique - Kälteleistung		425
 Refrigerante - Refrigerant type - Réfrigérant type - Kältemitteltyp		R290
Quantità di refrigerante - Refrigerant quantity - Quantité de réfrigérant - Kältemittelmenge		80
 Potenza assorbita - Total Power - Puissance - Leistung		250W - 1A
Tensione alimentazione - Supply Voltage - Tension d'alimentation - Anschlussspannung		230V~ 50Hz
 Peso Netto - Net weight - Poids net - Netto Gewicht		206
Volume - Volume - Volume - Volumen		1,42
 Efficienza Energetica - Energy Efficiency - Classe Énergie - Energieeffizienzklasse		A
 Energia - Energy - Énergie - Energie		621
 Volume Netto - Net Volume - Volume Net - Nettoinhalt		319
 Classe Climatica - Climate Class - Classe Climatique - Klima Klasse		5 +40°C 40%

● = Dotazione di serie - Standard equipment - Dotation standard - Serien Ausstattung □ = Optional

