

08/2021

Mod: TG4B/H-R2

Production code: TEMG4V2540-DM

Modello - Model Model - Gerätetyp		TG4B/HA-R2 Code Production TEMG4V2540-DM
		TG4B/H-R2 Code Production TEMG4V2530-DM
Descrizione - Description - Description - Beschreibung	4 Doors	
Tipo di teglie - Trays type - Type de plateaux - Blechetyp - Tipo de fuentes	GN 1/1	
Range	-20°C...-10°C	
Scheda Elettronica - Electronic card	EVCO EVX214	
Funzionamento - Operating Mode - Mode de fonctionnemen - Betriebsmodus S = Statico-Static-Statique-Stille Kühlung V = Ventilato-Ventilated-Ventile-Umluftkühlung	V	
Capacità lorda - Gross Capacity - Capacité brute - Bruttovolumen	l	483
Dimensioni esterne - External Dimension - Dimensions externes - ußenabmessungen	Lunghezza - Width -Largeur - Breite	mm 2250
	Profondità / con porte aperte - Depth / with open doors Profondeur avec portes ouverte - Tiefe/mit geöffneter Tü	mm 700/1090
	Altezza - Height - Hauteur - Höhe	mm 850
Dimensioni interne - Internal Dimension - Dimensions internes - Innenabmessungen	Lunghezza - Width -Largeur - Breite	mm 1687
	Profondità - Depth - Profondeur - Tiefe	mm 530
	Altezza - Height - Hauteur - Höhe	mm 540
Porte - Doors - Portes - Türen	4	
Dotazione Standard - Standard Equipment - Equipement standard - Standardausstattung	Griglia plastificata - Plastic-Coated Grid Grille Plastifée - Kunststoff-Beschichtetes Gitter GN 1/1 4	
Serratura - Lock - Serrure - Schloss	<input type="checkbox"/>	
Fondo inox - Stainless Steel bottom - Fond inox - Edelstahlgrundboden	<input type="checkbox"/>	
Sbrinamento - Defrost - Dégivrages - Abtauen	Type	Gas caldo - Hot gas - Gaz chaude - Heissem Gas
	N° Defrost in 24 hrs.	4
	Evaporazione acqua sbrinamento - Evaporation of defrost water Evaporation eau de dégivrage - Tauwasserverdunstung	Gas caldo - Hot gas - Gaz chaude - Heissem Gas
Compressor embraco	Model	NEU2168U
	Potenza - Power - Puissance - Leistung	Hp 3/4
	Potenza frigorifera - Refrigerant Power - Puissance frigorifique - Kälteleistung	watt 600
Refrigerante - Refrigerant type - Réfrigérant type - Kältemitteltyp	Type	R290
Quantità di refrigerante - Refrigerant quantity - Quantité de réfrigérant - Kältemittelmenge	gr	120
Potenza assorbita - Total Power - Puissance - Leistung	watt	660W-3,3A (950W-4,6A)
Tensione alimentazione - Supply Voltage - Tension d'alimentation - Anschlussspannung	V	230V~ 50Hz
Peso Netto - Net weight - Poids net - Netto Gewicht	kg	248
	Volume - Volume - Volume - Volumen	mc
Efficienza Energetica - Energy Efficiency - Classe Énergie - Energieeffizienzklasse	D	
Energia - Energy - Énergie - Energie	kWh / annum	3607
Volume Netto - Net Volume - Volume Net - Nettoinhalt	l	433
Classe Climatica - Climate Class - Classe Climatique - Klima Classe	5 +40°C 40%	

● = Dotazione di serie - Standard equipment - Dotation standard - Serien Ausstattung □ = Optional

