

09/2021

# **Mod: TG4N/H-R2**

**Production code: TEMG4V2510-DM**

<b>Modello</b> - Model Model - Gerätetyp		<b>TG4N/HA-R2</b> Code Production TEMG4V2520-DM
		<b>TG4N/H-R2</b> Code Production TEMG4V2510-DM
<b>Descrizione</b> - Description - Description - Beschreibung <b>Tipo di teglie</b> - Trays type - Type de plateaux - Blechetyp - Tipo de fuentes		<b>4 Doors</b> GN 1/1 -2°C...+8°C <b>EVCO EVX214</b>
Range		V
<b>Scheda Elettronica</b> - Electronic card		483
<b>Funzionamento</b> - Operating Mode - Mode de fonctionnemen - Betriebsmodus S = Statico-Static-Statique-Stille Kühlung V = Ventilato-Ventilated-Ventile-Umluftkühlung		
<b>Capacità lorda</b> - Gross Capacity - Capacité brute - Bruttovolumen	I	
<b>Dimensioni esterne</b> - External Dimension - Dimensions externes - ußenabmessungen Lunghezza - Width -Largeur - Breite mm Profondità / con porte aperte - Depth / with open doors mm Profondeur avec portes ouverte - Tiefe/mit geöffneter Tü mm Altezza - Height - Hauteur - Höhe mm		2250
		700/1090
		850
<b>Dimensioni interne</b> - Internal Dimension - Dimensions internes - Innenabmessungen Lunghezza - Width -Largeur - Breite mm Profondità - Depth - Profondeur - Tiefe mm Altezza - Height - Hauteur - Höhe mm		1687
		530
		540
<b>Porte</b> - Doors - Portes - Türen		4
<b>Dotazione Standard</b> - Standard Equipment - Equipement standard - Standardausstattung		<b>GN 1/1</b> Griglia plastificata - Plastic-Coated Grid Grille Plastifée - Kunststoff-Beschichtetes Gitter 4 <input type="checkbox"/> <input type="checkbox"/>
<b>Serratura</b> - Lock - Serrure - Schloss		
<b>Fondo inox</b> - Stainless Steel bottom - Fond inox - Edelstahlgrundboden		
<b>Sbrinamento</b> - Defrost - Dégivrages - Abtauen Type N° Defrost in 24 hrs. Evaporazione acqua sbrinamento - Evaporation of defrost water Evaporation eau de dégivrage - Tauwasserverdunstung		Gas caldo - Hot gas - Gaz chaude - Heissem Gas 3 Gas caldo - Hot gas - Gaz chaude - Heissem Gas
<b>Compressor</b> Model Potenza - Power - Puissance - Leistung Hp Potenza frigorifera - Refrigerant Power - Puissance frigorifique - Kälteleistung watt		EMC3119U 1/4 425
<b>Refrigerante</b> - Refrigerant type - Réfrigérant type - Kältemitteltyp	Type	R290
<b>Quantità di refrigerante</b> - Refrigerant quantity - Quantité de réfrigérant - Kältemittelmenge	gr	80
<b>Potenza assorbita</b> - Total Power - Puissance - Leistung	watt	250W - 1A
<b>Tensione alimentazione</b> - Supply Voltage - Tension d'alimentation - Anschlussspannung	V	230V~ 50Hz
<b>Peso Netto</b> - Net weight - Poids net - Netto Gewicht	kg	248
<b>Volume</b> - Volume - Volume - Volumen	mc	1,76
<b>Efficienza Energetica</b> - Energy Efficiency - Classe Énergie - Energieeffizienzklasse		A
<b>Energia</b> - Energy - Énergie - Energie	kWh / annum	687
<b>Volume Netto</b> - Net Volume - Volume Net - Nettoinhalt	I	433
<b>Classe Climatica</b> - Climate Class - Classe Climatique - Klima Classe		5 +40°C 40%

● = Dotazione di serie - Standard equipment - Dotation standard - Serien Ausstattung    □ = Optional



