

10/2021

# **Mod: TP3B/H-R2**

**Production code: TEMP3V2540-DM**

<b>Modello</b> - Model - Model - Gerätetyp		<b>TP3B/HG-R2</b>		
		<b>TP3B/HA-R2</b>		
		<b>TP3B/H-R2</b>		
<b>Descrizione</b> - Description - Description - Beschreibung		<b>3 Doors</b>		
<b>Tipo di teglie</b> - Trays type - Type de plateaux - Blechetyp - Tipo de fuentes		EN400x600		
<b>Range</b>		-20°C...-10°C		
<b>Scheda Elettronica</b> - Electronic card		EVCO EVX214		
<b>Funzionamento</b> - Operating Mode - Mode de fonctionnemen - Betriebsmodus S = Statico-Static-Statique-Stille Kühlung    V = Ventilato-Ventilated-Ventile-Umluftkühlung		V		
<b>Capacità lorda</b> - Gross Capacity - Capacité brute - Bruttovolumen	l	457		
<b>Dimensioni esterne</b> - External Dimension - Dimensions externes - ußenabmessungen	Lunghezza - Width -Largeur - Breite	mm	2030	
	Profondità / con porte aperte - Depth / with open doors Profondeur avec portes ouverte - Tiefe/mit geöffneter Tür	mm	800/1250	
	Altezza - Height - Hauteur - Höhe	mm	850	
	<b>Dimensioni interne</b> - Internal Dimension - Dimensions internes - Innenabmessungen	Lunghezza - Width -Largeur - Breite	mm	1410
	Profondità - Depth - Profondeur - Tiefe	mm	600	
	Altezza - Height - Hauteur - Höhe	mm	540	
<b>Porte</b> - Doors - Portes - Türen			3	
<b>Dotazione Standard</b> - Standard Equipment - Equipement standard - Standardausstattung			4 coppie guide per porta - 4 pairs of slides per door 4 couples des glissières chaque porte 4 Paar Führungen pro Tür	
<b>Serratura</b> - Lock - Serrure - Schloss			<input type="checkbox"/>	
<b>Fondo inox</b> - Stainless Steel bottom - Fond inox - Edelstahlgrundboden			<input type="checkbox"/>	
<b>Sbrinamento</b> - Defrost - Dégivrages - Abtauen	Type		Gas caldo - Hot gas - Gaz chaude - Heissem Gas	
	N° Defrost in 24 hrs.		4	
	Evaporazione acqua sbrinamento - Evaporation of defrost water Evaporation eau de dégivrage - Tauwasserverdunstung			Gas caldo - Hot gas - Gaz chaude - Heissem Gas
<b>Compressor</b>				
	Model		NEU2168U	
	Potenza - Power - Puissance - Leistung	Hp		3/4
	Potenza frigorifera - Refrigerant Power - Puissance frigorifique - Kälteleistung	watt		600
<b>Refrigerante</b> - Refrigerant type - Réfrigérant type - Kältemitteltyp	GWP		R290 / 3	
<b>Quantità di refrigerante</b> - Refrigerant quantity Quantité de réfrigérant - Kältemittelmenge	gr		125	
<b>Potenza assorbita</b> - Total Power - Puissance - Leistung	watt		650W -3,2A (980W - 5A)	
	<b>Tensione alimentazione</b> - Supply Voltage - Tension d'alimentation - Anschlussspannung	V		230V~ 50Hz
<b>Peso Netto</b> - Net weight- Poids net - Netto Gewicht	kg		190	
	<b>Volume</b> - Volume - Volume - Volumen	mc		1,97
<b>Efficienza Energetica</b> - Energy Efficiency Classe Énergie - Energieeffizienzklasse			D	
<b>Energia</b> - Energy - Énergie - Energie	kWh / annum		3410	
<b>Volume Netto</b> - Net Volume - Volume Net - Nettoinhalt	l		424	
<b>Classe Climatica</b> - Climate Class - Classe Climatique - Klima Classe			5 +40°C 40%	

● = Dotazione di serie - Standard equipment - Dotation standard - Serien Ausstattung    □ = Optional



