

03/2018

Mod: IN/BX08-PSC

Production code: 19047642



Diamond
catering equipment

DESPIECE TÉCNICO/ SPARE PARTS / VUE ÉCLATÉE


CUBA DE BAÑO MARIA SECO DROP-IN

DRY BAIN-MARIE DROP-IN

BAIN MARIE À AIR DROP-IN

Modelos/Models/Modèles:

| | |
|---------|---------|
| DC6-BS2 | DC7-BS2 |
| DC6-BS3 | DC7-BS3 |
| DC6-BS4 | DC7-BS4 |
| DC6-BS5 | DC7-BS5 |
| DC6-BS6 | DC7-BS6 |



Notes:

(1) WARNING! Verify compressors depending on frequency and voltage. / ¡ATENCIÓN! Verificar los compresores dependiendo de la frecuencia y el voltaje. / ATTENTION! Vérifiez les compresseurs en fonction de la fréquence et de la tension.

| Nº | CODE CODIGO | RECOM. | DESCRIPTION | DESCRIPCIÓN | DC6-BS2 | DC6-BS3 | DC6-BS4 | DC6-BS5 | DC7-BS6 | DC7-BS2 | DC7-BS3 | DC7-BS4 | DC7-BS5 | DC7-BS6 | Introducido Inserted | Eliminado Removed |
|----|-------------|--------|--|--|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------------------------|----------------------|
| | | | | | | | | | | | | | | | | |
| 1 | C240750120 | | DROP DIVIDER PROFILE | SEPARADOR DROP | 1 | 2 | 3 | 4 | 5 | 1 | 2 | 3 | 4 | 5 | | |
| 2 | C240720044 | | ANCHORAGE ASSEMBLY | CONJUNTO ANCLAJE DROP | 4 | 6 | 6 | 6 | 6 | 4 | 6 | 6 | 6 | 6 | | |
| 3 | C180300058 | X | THERMOSTAT POWER COMPC REFR.HACCP115/230 | TERMOSTATO POWER COMPC REFR.HACCP115/230 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1/11/17 | |
| 3A | C180100001 | | BLIND TAPE 22X30 MM TB-1 | TAPA CIEGA 22X30 MM TB-1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | 1/11/17 |
| 3B | C180200022 | X | BIPOLAR RED SWITCH IB-4 | INTERRUPTOR BIPOLAR ROJO CON LUZ IB-4 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | 1/11/17 |
| 3C | C180300027 | X | CAREL THERMOSTAT PYCO 1SN50P | TERMOSTATO CAREL PYCO1SN50P | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | 1/11/17 |
| 4 | C140400001 | X | BOTONERA ADHESIVA | ADHESIVE BUTTON OVERLAY | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | |
| 5 | C180200020 | | CONTACTOR ESB 20-20 ABB 230V 2NA | CONTACTOR ESB 20-20 ABB 230V 2NA | | | | 1 | 1 | | | | 1 | 1 | 1/11/17 | |
| 6 | C180300034 | X | KLIXON 16A AUTOM. 180º | KLIXON 16A AUTOM. 180º | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | |
| 7 | C180600056 | X | 1500W HEATER | RESISTENCIA BLINDADA 1500W | 1 | 1 | | 2 | 2 | 1 | 1 | | 2 | 2 | | |
| 7 | C180600057 | X | 2000W HEATER | RESISTENCIA BLINDADA 2000W | | | 1 | | | | | 1 | | | | |
| 8 | C200100002 | X | TANGENTIAL FAN TRIAL L=270 | VENTILADOR TANGENCIAL TRIAL L=270 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 2 | | |
| 9 | C180300042 | X | PROBE NTC 3m CAREL HT 150ºC - CAP. INOX | SONDA NTC 3m CAREL HT 150ºC - CAP. INOX | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | |

Notes:

(1) WARNING! Verify compressors depending on frequency and voltage. / ¡ATENCIÓN! Verificar los compresores dependiendo de la frecuencia y el voltaje. / ATTENTION! Vérifiez les compresseurs en fonction de la fréquence et de la tension.